


# **CLASSIC**

## Rolling Garage Doors



CSI Classic Surfmist

### **DESIGN OPTIONS**

- The timeless ribbed profile suits a large variety of home designs from classic to contemporary
- Find a colour perfect for your home with a wide range of COLORBOND® colours

### **STRENGTH & DURABILITY**

- Effortless operation with minimal noise and friction due to well designed running strips
- Galvanised door track
- Made from durable COLORBOND® steel for strength and durability

### **SAFETY & PROTECTION**

- Waist height lock with double bar locking action
- Soft, pliable bottom weatherseal helps stop leaves and rain entering under the door

### **WIDE RANGE OF SIZES**

- Available in sizes up to 5100mm wide
- Suits openings up to 5000mm high

### **PEACE OF MIND**

CSI® Classic Garage Doors are covered by a 12 month warranty for complete door and parts in domestic applications and surface coatings (excludes salt corrosion). Visit [www.csiclassicgd.com.au](http://www.csiclassicgd.com.au) for full warranty details

The CSI® name has been renowned for quality garage door design for decades.

CSI® Classic now combines decades of manufacturing know-how with a host of safety features and modern design options.

When you choose a CSI® Classic garage door, you're buying quality and reliability that won't break the budget.

 **CLASSIC**

## RESIDENTIAL SINGLE WIDTH ROLLER DOOR

**MODEL CODE:** R1G

**PROFILE:**



**CURTAIN THICKNESS:** 0.4mm  
**DOOR HEIGHT:** 2100, 2400 & 3000mm  
**WIDTH RANGE:** 950 to 3100mm  
**WIDTH INCREMENTS:** 5mm  
**LOCKING:** Waist High Centre Lift Lock

**DRUM TYPE:** Plastic Moulded Drum  
**TAPER OPTION:** Yes  
**HIGH WIND OPTION:** No  
**DOOR GUIDE BLOCK:** With Side Roller

HEIGHTS	HEADROOM (mm)				SIDEROOM (mm)			DOOR WIDTH
	RECOMMENDED				E1 RECOM.	E2 (with Opener)		
	A	B	C	D		LH	RH	
to 2100mm	350	80	120	460	100	110-160	120-170*	Opening Width +50mm minimum
2400mm	370	80	120	480	100			
3000mm	370	80	120	480	100			

## RESIDENTIAL DOUBLE WIDTH ROLLER DOOR

**MODEL CODE:** R3G


**PROFILE:**




**CURTAIN THICKNESS:** 0.4mm  
**DOOR HEIGHT:** 1200, 2100, 2400, 2700 & 3000mm  
**WIDTH RANGE:** 2500 to 5100mm  
**WIDTH INCREMENTS:** 5mm  
**LOCKING:** Waist High Centre Lift Lock

**DRUM TYPE:** S3 Pressed Metal  
**TAPER OPTION:** Yes  
**HIGH WIND OPTION:** No  
**DOOR GUIDE BLOCK:** With Double Roller

HEIGHTS	HEADROOM (mm)				SIDEROOM (mm)			DOOR WIDTH
	RECOMMENDED				E1 RECOMM.	E2 (with Opener)		
	A	B	C	D		LH	RH	
to 2100mm	420	85	150	510	135	135-185	145-195*	Opening Width +100mm minimum
to 3000mm	450	85	150	540				



Door Roll Obtrusion Below Lintel



(Drawings not to scale)

# LIGHT INDUSTRIAL ROLLER DOOR

**MODEL CODE:** R2G





**PROFILE:**



**CURTAIN THICKNESS:** 0.4mm  
**DOOR HEIGHT:** 1450, 2100, 2400, 3000, 3300, 3600, 4200 & 5100mm  
**WIDTH RANGE:** 1125 to 5100mm  
**WIDTH INCREMENTS:** 5mm

**LOCKING:** Waist High Internal Slide Bolt  
**DRUM TYPE:** S2 Pressed Metal  
**TAPER OPTION:** Yes  
**HIGH WIND OPTION:** No  
**DOOR GUIDE BLOCK:** With Double Roller

HEIGHTS	A	A1	A1*	B	B1	C	D	E	F	OPERATION	DOOR WIDTH
to 2400	135	125	160/450	35	n/a	540	555	245	295	Hand Operated	Opening Width +100mm minimum
2700	135	135	160/450	35	5	620	565	310	310	Direct Drive Chain	
3000	175	205	160/450	35	5	620	565	310	310		
3300	195	225	160/450	35	5	620	565	310	310	Planetary Gearing Chain	
3600/4200	195	225	160/450	35	5	620	585	310	310		
5100	210	225	160/450	35	5	635	615	310	325		



**A1:** Denotes sideroom required for installation of inside/outside mounted 1/2 HP motor. Left hand operation only.

**B:** Denotes non geared end of the curtain.  
**B1:** Denoted geared end of the curtain.

For further details please refer to the installation instructions on our website [www.csiclassicgd.com.au](http://www.csiclassicgd.com.au)




## AUTOMATION OPTIONS

CSI Doors® has a range of automation options to drive your CSI® Classic door. Please contact your CSI® representative for information about garage door openers.



### COLORBOND® RANGE



Surfmist®



Shale Grey™



Classic Cream™



Paperbark®



Evening Haze®



Cove®



Dune®



Windspray®



Gully®



Jasper®



Wallaby®



Basalt®



Pale Eucalypt®



Mangrove®



Terrain®



Manor Red®



Cottage Green®



Woodland Grey®




Deep Ocean®



Ironstone®



Monument®



Night Sky®



Zincalume®

The colours shown in this guide are as close to the actual colours as the printing process allows and will vary from actual. Colorbond® is a registered trade mark of Bluescope Steel Limited. All listed Colorbond® colour names are trade marks of Bluescope Steel Limited.

- CSI® Classic Garage Doors, in normal residential use, are covered by a 12 month warranty for all components and associated labour, conditional on proper care, as recommended in the door's handbook. Full details of the warranty are available from [www.csiclassicgd.com.au](http://www.csiclassicgd.com.au). 12 month warranty only applies to doors purchased and installed in Australia or New Zealand. Warranty is only valid if warranty conditions are met.
- For areas within one kilometre of a corrosive environment eg. salt air or industrial fallout, special care and maintenance are generally required for metal products. Consult your CSI Doors® Dealer for advice.
- The company reserves the right to make changes or improvements to the products or accessories without notice and without incurring any obligation to make similar changes or improvements to goods previously ordered. Specifications are subject to change without notice.
- CSI® Classic is a registered trade mark within the DuluxGroup.
- While BlueScope Steel Limited is our preferred supplier, steel products from other sources may also be used.
- Details correct at date of publication.